

ROMANIA

COMISIA NATIONALA DE OMOLOGARE  
A PRODUSELOR DE PROTECTIE A PLANTELOR

ROMANIA

NATIONAL COMMISSION FOR REGISTRATION  
OF PLANT PROTECTION PRODUCTS

## CERTIFICAT DE OMOLOGARE

a produselor de protectie a plantelor

## REGISTRATION CERTIFICATE

of plant protection products

Nr/No **2019** din/of **26.10.1999**

AVAND IN VEDERE CEREREA DE OMOLOGARE DEPUASA DE  
TAKING INTO ACCOUNT REGISTRATION APPLICATION PUT UP BY

**NUFARM ROMANIA SRL, ROMANIA**

INREGISTRATA CU NR **265865/8848** DIN **07.07.2016/18.06.2018** INSOTITA DE DOCUMENTATIA  
RECORDER UNDER NO DATED ACCOMPANIED BY THE NECESSARY

NECESARA, CONFORM DISPOZITIILOR LEGALE  
DOCUMENTATION DRAWN UP IN ACCORDANCE WITH THE LEGAL PROVISIONS

COMISIA NATIONALA DE OMOLOGARE A PRODUSELOR DE PROTECTIE A PLANTELOR, IN  
NATIONAL COMMISSION FOR REGISTRATION OF PLANT PROTECTION PRODUCTS

SEDINTA DIN **26.10.1999/19.12.2016/15.11.2018** A AUTORIZAT FOLOSIREA IN AGRICULTURA SI SILVICULTURA  
DURING THE MEETING HELD ON AUTHORIZED THE USAGE IN AGRICULTURE AND SILVICULTURE

A PRODUSULUI DE PROTECTIE A PLANTELOR DESCRIS MAI JOS:  
OF THE PLANT PROTECTION PRODUCT DESCRIBED AS FOLLOWS:

DENUMIREA COMERCIALA  
TRADE NAME

**FUSILADE FORTE**

SUBSTANTA ACTIVA  
ACTIVE INGREDIENT

**150 g/l fluazifop – P – butil**

FABRICANT/ PRODUCATOR  
PRODUCER/MANUFACTURER

**SYNGENTA LIMITED, ANGLIA**

CARACTERISTICI FIZICO-CHIMICE  
(ASPECT, DATE ANALITICE)  
PHYSICAL-CHEMICAL PROPERTIES  
(APPEARANCE, ANALYTICAL DATA)

**lichid limpede, omogen, mobil,  
de culoare bruna**



**CLASIFICAREA SI ETICHETAREA CONFORM REG. 1272/2008/CE (CLP)**  
CLASSIFICATION AND LABELING ACCORDING TO REG. 1272/2008 / EC (CLP)

**CUVANT DE AVERTIZARE**  
SIGNAL WORD

**Atentie**  
Warning

**FRAZE DE PERICOL**  
DANGER PHRASES

**H317 - Poate provoca o reacție alergică a pielii**  
May cause an allergic skin reaction  
**H361d - Susceptibil de a dăuna fătului**  
Suspected of damaging the unborn child  
**H411 –Toxic pentru mediul acvatic cu efecte pe termen lung**  
Toxic to aquatic life with long lasting effects  
**EUH401 – Pentru a evita riscurile pentru sanatatea umana si mediu, a se respecta instructiunile de utilizare**  
To avoid risks to human health and the environment, comply with the instructions for use

**FRAZE DE PREVENIRE**  
PREVENTION PHRASES

**P102 – A nu se lasa la indemana copiilor**  
Keep out of reach of children  
**P202 – A nu se manipula decât după ce au fost citite și înțelese toate măsurile de securitate**  
Do not handle until all safety precautions have been read and understood  
**P280 - Purtați mănuși de protecție/îmbrăcăminte de protecție/echipament de protecție a ochilor/ echipament de protecție a feței**  
Wear protective gloves/protective clothing/eye protection/face protection  
**P302+P352 – ÎN CAZ DE CONTACT CU PIELEA: spălați cu multă apă**  
IF ON SKIN: Wash with plenty of water  
**P308+P313 - ÎN CAZ DE expunere sau de posibilă expunere: consultați medicul**  
IF exposed or concerned: Get medical advice/attention  
**P391 – Colectati scurgerile de produs**  
Collect the spillage  
**P501 – Eliminati continutul/recipientul in conformitate cu reglementarile locale**  
Dispose of contents / container in accordance with local regulations

**FRAZE STANDARD PENTRU RISCURI SPECIALE**  
STANDARD PHRASES FOR SPECIAL RISKS

**FRAZE STANDARD DE PRUDENTA SPECIALE**  
STANDARD PHRASES FOR SPECIAL PRECAUTIONS

**SP1 – A nu se contamina apa cu produsul sau ambalajul sau. A nu se curata echipamentele de aplicare in apropierea apelor de suprafata.**  
Do not contaminate water with the product or its container. Does not clean application equipment near surface water.  
**Spe3 – Pentru protectia organismelor acvatice respectati o zona tampon netratata de 15 m pana la apele de suprafata.**  
To protect aquatic organisms respect an unsprayed buffer zone of 15 m to surface water bodies

**MASURI DE IGIENA SI DE TEHNICA A SECURITATII MUNCII**  
HYGIENE AND SAFETY MEASURES

A se evita inhalarea sau contactul produsului cu ochii si pielea. In timpul lucrului se poarta obligatoriu echipament de protectie, nu se bea, nu se mananca si nu se fumeaza. Dupa terminarea lucrului se spala bine mainile si fata cu multa apa si sapun fara a se freca. A nu se lasa produsul la indemana copiilor si a altor persoane neautorizate si in zonele de acces a animalelor. A nu se contamina apa, alimentele, furajele, semintele sau ambalajele acestora.

**DOMENIU DE UTILIZARE**  
FIELD OF USE

**ERBICID**  
HERBICIDE



MODUL DE FOLOSIRE OMOLOGAT (CULTURI, DOZE, AGENT DE DAUNARE)  
 REGISTERED MODE OF APPLICATION (CROPS, DOSAGE, DAMAGING AGENT)

FLOAREA SOARELUI:	Buruieni monocotiledonate anuale ( <i>Setaria</i> , <i>Echinochloa</i> , <i>Digitaria</i> , <i>Sorghum</i> din seminte)	0,8 l/ha	postemergent
	Costreiuul din rizomi	1,0 l/ha (cand plantele de costrei au inaltimea < 15 cm) 1,3 l/ha (cand plantele de costrei au inaltimea intre 15 – 25 cm)	postemergent
CARTOF:	Buruieni monocotiledonate anuale ( <i>Setaria glauca</i> , <i>Setaria viridis</i> , <i>Echinochloa crus-galli</i> )	0,8 – 1,0 l/ha	postemergent
	Buruieni monocotiledonate anuale ( <i>Digitaria sanguinalis</i> , <i>Avena fatua</i> )	1,0 l/ha	postemergent
	Buruieni monocotiledonate perene	1,3 l/ha ( <i>Agropyron repens</i> pana la 10 – 15 cm, <i>Sorghum halepense</i> 20 – 25 cm inaltime)	postemergent
	Buruieni monocotiledonate perene	1,5 l/ha ( <i>Agropyron repens</i> pana la 25 cm. inaltime, <i>Sorghum halepense</i> pana la 25 – 35 cm inaltime)	postemergent
SFECLA de ZAHAR:	Buruieni monocotiledonate anuale (pana in faza de infratire)	0,8 l/ha	postemergent
	Buruieni monocotiledonate perene (pana la 15 cm. inaltime)	1,0 – 1,3 l/ha	postemergent
CEAPA SEMANATA DIRECT in CAMP:	Buruieni monocotiledonate anuale	0,8 l/ha	
	Buruieni monocotiledonate perene	1,0 l/ha	
MAR PE ROD:	Buruieni monocotiledonate anuale si unele perene la inaltime <15 cm	1,0 l/ha	
	Buruieni anuale si unele perene la inaltimea de 15 – 25 cm	1,3 l/ha (in 300 l apa/ha)	
PLANTATII VITICOLE:	Buruieni monocotiledonate anuale	1,3 l/ha	postemergent
RAPITA:	<i>Sorghum halepense</i> din rizomi (la faza optima 15 – 20 cm)	1,0 l/ha	postemergent
	Buruieni monocotiledonate anuale ( <i>Setaria</i> , <i>Echinochloa</i> , <i>Sorghum</i> din samanta)	0,8 l/ha	postemergent
	(buruieni monocotiledonate anuale la 2 – 4 frunze )		
ARBUSTI FRUCTIFERI (coacaz, afin, mur, zmeur), CAPSUN si PEPINIERE POMICOLE C <sub>i</sub> si C <sub>ii</sub> :	Buruieni monocotiledonate anuale	1,0 l/ha ( 300 l apa/ha)	
	Buruieni monocotiledonate perene	1,3 l/ha ( 300 l apa/ha)	



**AUTORIZARE CONFORM Ordinului nr. 134/2006**  
AUTHORISATION ACCORDING TO Order no. 134/2006

**TIMP DE PAUZA**  
PRE – HARVESTING INTERVAL

**TERMEN DE GARANTIE**  
GUARANTEE PERIOD

**ORICE MODIFICARE IN COMPOZITIA PRODUSULUI DE PROTECTIE A PLANTELOR VA FI COMUNICATA**  
ANY MODIFICATION IN THE COMPOSITION OF THE PLANT PROTECTION PRODUCT SHOULD BE COMMUNICATED

**COMISIEI NATIONALE DE OMOLOGARE A PRODUSELOR DE PROTECTIE A PLANTELOR;**  
TO THE NATIONAL COMMISSION FOR REGISTRATION OF PLANT PROTECTION PRODUCTS;

**MODIFICARILE IMPORTANTE FAC OBIECTUL UNEI NOI CERERI DE OMOLOGARE.**  
SIGNIFICANT CHANGES WILL BE SUBJECT TO A NEW REGISTRATION APPLICATION.

**PREZENTUL CERTIFICAT DE OMOLOGARE ESTE VALABIL PANA LA DATA DE 31.12.2021**  
THIS REGISTRATION CERTIFICATE IS VALID UNTIL

**PRESEDINTE**  
CHAIRMAN

**Paulina GABOR**



**ELIBERAT LA BUCURESTI**  
ISSUED IN BUCHAREST

**DATA 15.02.2019**  
DATE